

Power Plug

UL/CSA




- PARTS NO.: PSC-101
- STANDARD: UL-817, CSA: C22.2 NO.42

Available With Cord	AMP/V	Approvals
SPT-1 18AWGX2C	10A 125V	
SPT-2 18AWGX2C	10A 125V	
SPT-2 16AWGX2C	13A 125V	
(N1)SPT-1 18AWGX2C	10A 125V	
(N1)SPT-2 18AWGX2C	10A 125V	
(N1)SPT-2 16AWGX2C	13A 125V	
HPN 18AWGX2C	10A 125V	
HPN 16AWGX2C	13A 125V	
SVT 18AWGX2C	10A 125V	
SJT, SJTO, SJTOO, SJTW, SJTOW		
SJ, SJO, SJOW		
18AWGX2C	10A 125V	
16AWGX2C	13A 125V	
14AWGX2C	15A 125V	




- PART NO.: PSC-102
- STANDARD: UL-817, CSA: C22.2 NO.42

Available With Cord	AMP/V	Approvals
SVT 18AWGX2C	10A 125V	
SJT, SJTO, SJTOO, SJTW, SJTOW, SJ, SJO, SJOW		
18AWGX2C	10A 125V	
16AWGX2C	13A 125V	
14AWGX2C	15A 125V	




- PART NO.: PSC-103
- STANDARD: UL-817, CSA: C22.2 NO.42

Available With Cord	AMP/V	Approvals
SVT, SPT-1, SPT-2, HPN	10A 125V	
18AWGX3C		
SPT-2, HPN	13A 125V	
16AWGX3C		
SJT, SJTO, SJTOO, SJTW, SJTOW, SJ, SJO, SJOW, SPT-3		
18AWGX3C	10A 125V	
16AWGX3C	13A 125V	
14AWGX3C	15A 125V	
12AWGX3C	15A 125V	



- PART NO.: PSC-104
- STANDARD: UL-817, CSA: C22.2 NO.42

Available With Cord	AMP/V	Approvals
SVT, SPT-1, SPT-2, HPN	10A 125V	
18AWGX3C		
SPT-2, HPN	13A 125V	
16AWGX3C		
SJT, SJTO, SJTOO, SJTW, SJTOW, SJ, SJO, SJOW, SPT-3		
18AWGX3C	10A 125V	
16AWGX3C	13A 125V	
14AWGX3C	15A 125V	
12AWGX3C	15A 125V	



- PART NO.: PSC-105
- STANDARD: UL-817, CSA: C22.2 NO.42

Available With Cord	AMP/V	Approvals
SVT, SPT-2, HPN	10A 125V	
18AWGX3C		
SPT-2, HPN	13A 125V	
16AWGX3C		
SJT, SJTO, SJTOO, SJTW, SJTOW, SJ, SJO, SJOW, SPT-3		
18AWGX3C	10A 125V	
16AWGX3C	13A 125V	
14AWGX3C	15A 125V	

Power Plug

JIS



PART NO.: PSC-201

STANDARD: Electrical Appliance and Material Control Law JIS C8303

Available With Cord	AMP/V	Approvals
VFF, HVFF, VCTFK, HVCTFK 0.75mm ² x2C 1.25mm ² x2C 2.00mm ² x2C	7A 125V 12A 125V 15A 125V	
VCTF, HVCTF, PNCT 0.75mm ² x2C 1.25mm ² x2C 2.00mm ² x2C	7A 125V 12A 125V 15A 125V	
NNFF, HHFF, VCT, HVCT 0.75mm ² x2C 1.25mm ² x2C	7A 125V 12A 125V 15A 125V	



PART NO.: PSC-202

STANDARD: Electrical Appliance and Material Control Law JIS C8303


Available With Cord	AMP/V	Approvals
VCTF, HVCTF, PNCT 0.75mm ² x3C	7A 125V	
VCTF, HVCTF, PNCT 1.25mm ² x3C	12A 125V	
VCTF, HVCTF, PNCT 2.00mm ² x3C	15A 125V	



PART NO.: PSC-203

STANDARD: Electrical Appliance and Material Control Law JIS C8303

Available With Cord	AMP/V	Approvals
VFF, VCTFK, NN-FF, HH-FF 0.75mm ² x2C	7A 125V	
VFF, VCTFK, NN-FF, HH-FF 1.25mm ² x2C	12A 125V	
VFF, VCTFK, NN-FF, HH-FF 2.00mm ² x2C	15A 125V	



PART NO.: PSC-204

STANDARD: Electrical Appliance and Material Control Law JIS C8303

Available With Cord	AMP/V	Approvals
VCTF, VCT, PNCT 0.75mm ² x2C 1.25mm ² x2C 2.00mm ² x2C	7A 125V 12A 125V 15A 125V	



PART NO.: PSC-205

STANDARD: Electrical Appliance and Material Control Law JIS C8303

Available With Cord	AMP/V	Approvals
VCT, HVCT, PNCT 0.75mm ² x2C 1.25mm ² x2C 2.00mm ² x2C	7A 125V 12A 125V 15A 125V	




PART NO.: PSC-206

STANDARD: Electrical Appliance and Material Control Law JIS C8303

Available With Cord	AMP/V	Approvals
VCT, HVCT, PNCT 0.75mm ² x2C 1.25mm ² x2C 2.00mm ² x2C	7A 125V 12A 125V 15A 125V	

Power Plug

Europe



● PART NO.: PSC-301
● STANDARD: IEC 60884-1, Ne50 075

Available With Cord	AMP/V	Approvals
H-03VVH2-F 2G 0.5mm ²	2.5A 250V~	
H-03VVH2-F 2G 0.75mm ²	2.5A 250V~	
H-05VVH2-F 2G 0.75mm ²	2.5A 250V~	
H03VV-F 2G 0.75mm ²	6A 250V~	
H05VV-F 2G 0.75mm ²	10A 250V~	
H05VV-F 2G 1.00mm ²	13A 250V~	
H05VV-F 2G 1.50mm ²	15A 250V~	
H-05RR-F 2G 0.75mm ²	10A 250V~	
H-05RR-F 2G 1.00mm ²	13A 250V~	
H-05RN-F 2G 0.75mm ²	10A 250V~	
	13A 250V~	



● PART NO.: PSC-302
● STANDARD: IEC 60884-1, CEE7-XVII

Available With Cord	AMP/V	Approvals
H-03VVH2-F 2G 0.75mm ²	10-16A 250V~	
H-05VVH2-F 2G 0.75mm ²	10-16A 250V~	
H-03VV-F 2G 0.75mm ²	10-16A 250V~	
H-05VV-F 2G 0.75mm ²	10-16A 250V~	
H-05VV-F 2G 1.00mm ²	10-16A 250V~	
H-05VV-F 2G 1.50mm ²	10-16A 250V~	
H-05RR-F 2G 0.75mm ²	10-16A 250V~	
H-05RR-F 2G 1.00mm ²	10-16A 250V~	
H-05RR-F 2G 1.50mm ²	10-16A 250V~	
H-05RN-F 2G 0.75mm ²	10-16A 250V~	
H-05RN-F 2G 1.00mm ²	10-16A 250V~	




● PART NO.: PSC-303
● STANDARD: IEC 60884-1, CEE7-VII

Available With Cord	AMP/V	Approvals
H-03VV-F 3G 0.75mm ²	10-16A 250V~	
H-05VV-F 3G 0.75mm ²	10-16A 250V~	
H-05VV-F 3G 1.00mm ²	10-16A 250V~	
H-05VV-F 3G 1.50mm ²	10-16A 250V~	
H-05RR-F 3G 0.75mm ²	10-16A 250V~	
H-05RR-F 3G 1.00mm ²	10-16A 250V~	
H-05RR-F 3G 1.50mm ²	10-16A 250V~	
H-05RN-F 3G 0.75mm ²	10-16A 250V~	
H-05RN-F 3G 1.00mm ²	10-16A 250V~	
	10-16A 250V~	



● PART NO.: PSC-304
● STANDARD: IEC 60884-1, CEE7-VII

Available With Cord	AMP/V	Approvals
H-03VV-F 3G 0.75mm ²	10-16A 250V~	
H-05VV-F 3G 0.75mm ²	10-16A 250V~	
H-05VV-F 3G 1.00mm ²	10-16A 250V~	
H-05VV-F 3G 1.50mm ²	10-16A 250V~	
H-05RR-F 3G 0.75mm ²	10-16A 250V~	
H-05RR-F 3G 1.00mm ²	10-16A 250V~	
H-05RR-F 3G 1.50mm ²	10-16A 250V~	
H-05RN-F 3G 0.75mm ²	10-16A 250V~	
H-05RN-F 3G 1.00mm ²	10-16A 250V~	
	10-16A 250V~	




● PART NO.: PSC-305
● STANDARD: CE 1.23-16-VII

Available With Cord	AMP/V	Approvals
H-03VV-F 3G 0.75mm ²	10A 250V~	
H-05VV-F 3G 0.75mm ²	10A 250V~	
H-05VV-F 3G 1.00mm ²	10A 250V~	
H-05VV-F 3G 1.50mm ²	10A 250V~	
H-05RR-F 3G 0.75mm ²	10A 250V~	
H-05RR-F 3G 1.00mm ²	10A 250V~	
H-05RR-F 3G 1.50mm ²	10A 250V~	
H-05RN-F 3G 0.75mm ²	10A 250V~	
H-05RN-F 3G 1.00mm ²	10A 250V~	
	10A 250V~	

Power Plug

Europe



● PART NO.: PSC-306
● STANDARD: SEV 1011.98 IEC 60884-1

Available With Cord	AMP/V	Approvals
H-03VV-F 3G 0.75mm ²	10A 250V~	
H-05VV-F 3G 0.75mm ²	10A 250V~	
H-05VV-F 3G 1.00mm ²	10A 250V~	
H-05VV-F 3G 1.50mm ²	10A 250V~	
H-05RR-F 3G 0.75mm ²	10A 250V~	
H-05RR-F 3G 1.00mm ²	10A 250V~	
H-05RR-F 3G 1.50mm ²	10A 250V~	
H-05RN-F 3G 0.75mm ²	10A 250V~	
H-05RN-F 3G 1.00mm ²	10A 250V~	
H-05RN-F 3G 1.00mm ²	10A 250V~	



● PART NO.: PSC-307
● STANDARD: SB 107-2-D1 SHEET DK2-5a

Available With Cord	AMP/V	Approvals
H-03VV-F 3G 0.75mm ²	10A 250V~	
H-05VV-F 3G 0.75mm ²	10A 250V~	
H-05VV-F 3G 1.00mm ²	10A 250V~	
H-05VV-F 3G 1.50mm ²	10A 250V~	
H-05RR-F 3G 0.75mm ²	10A 250V~	
H-05RR-F 3G 1.00mm ²	10A 250V~	
H-05RR-F 3G 1.50mm ²	10A 250V~	
H-05RN-F 3G 0.75mm ²	10A 250V~	
H-05RN-F 3G 1.00mm ²	10A 250V~	
H-05RN-F 3G 1.00mm ²	10A 250V~	



● PART NO.: PSC-308
● STANDARD: SB 107-2-D1 SHEET DK2-5a

Available With Cord	AMP/V	Approvals
H-03VV-F 3G 0.75mm ²	10A 250V~	
H-05VV-F 3G 0.75mm ²	10A 250V~	
H-05VV-F 3G 1.00mm ²	10A 250V~	
H-05VV-F 3G 1.50mm ²	10A 250V~	
H-05RR-F 3G 0.75mm ²	10A 250V~	
H-05RR-F 3G 1.00mm ²	10A 250V~	
H-05RR-F 3G 1.50mm ²	10A 250V~	
H-05RN-F 3G 0.75mm ²	10A 250V~	
H-05RN-F 3G 1.00mm ²	10A 250V~	
H-05RN-F 3G 1.00mm ²	10A 250V~	



● PART NO.: PSC-309
● STANDARD: DIN 49 406

Available With Cord	AMP/V	Approvals
H-05RN-F 2G 0.75mm ²	10-16A 250V~	 
H-05RN-F 2G 1.00mm ²	10-16A 250V~	
H-07RN-F 2G 1.00mm ²	10-16A 250V~	
H-07RN-F 2G 1.50mm ²	10-16A 250V~	



● PART NO.: PSC-401
● STANDARD: A.S.3112

Available With Cord	AMP/V	Approvals
H-03VVH2-F 2G 0.75mm ²	10A 250V~	
H-05VVH2-F 2G 0.75mm ²	10A 250V~	
H-03VV-F 2G 0.75mm ²	10A 250V~	
H-05VV-F 2G 0.75mm ²	10A 250V~	
H-05VV-F 2G 1.00mm ²	10A 250V~	
H-05VV-F 2G 1.50mm ²	10A 250V~	
H-05RR-F 2G 1.00mm ²	10A 250V~	
H-05RR-F 2G 1.00mm ²	10A 250V~	
H-05RN-F 2G 0.75mm ²	10A 250V~	
H-05RN-F 2G 0.75mm ²	10A 250V~	


Power Plug

Europe




- PART NO.: PSC-402
- STANDARD: A.S.3112

Available With Cord	AMP/V	Approvals
H-03VV-F 3G 0.75mm ²	10A 250V~	
H-05VV-F 3G 0.75mm ²	10A 250V~	
H-05VV-F 3G 1.00mm ²	10A 250V~	
H-05RR-F 3G 0.75mm ²	10A 250V~	
H-05RR-F 3G 1.00mm ²	10A 250V~	
H-05RN-F 3G 0.75mm ²	10A 250V~	
H-05RN-F 3G 1.00mm ²	10A 250V~	



- PART NO.: PSC-403
- STANDARD: BS-1363

Available With Cord	AMP/V	Approvals
H-03VVH2-F 2G 0.75mm ²	3A 250V~	
H-05VVH2-F 2G 0.75mm ²	3A 250V~	
H-03VV-F 2G 0.75mm ²	5A 250V~	
H-05VV-F 2G 0.75mm ²	13A 250V~	
H-05VV-F 2G 1.00mm ²	13A 250V~	
H-05VV-F 2G 1.50mm ²	13A 250V~	
H-05RR-F 2G 0.75mm ²	13A 250V~	
H-05RR-F 2G 1.00mm ²	13A 250V~	
H-05RR-F 2G 1.50mm ²	13A 250V~	
H-05RN-F 2G 0.75mm ²	13A 250V~	
H-05RN-F 2G 1.00mm ²	13A 250V~	
H-05RN-F 2G 1.50mm ²	13A 250V~	
H-05RN-F 2G 0.75mm ²	13A 250V~	
H-05RN-F 2G 1.00mm ²	13A 250V~	




- PART NO.: PSC-404(Assembled)
- STANDARD: BS-1363

Available With Cord	AMP/V	Approvals
H-03VVH2-F 2G 0.75mm ²	3A 250V~	
H-05VVH2-F 2G 0.75mm ²	3A 250V~	
H-03VV-F 2G 0.75mm ²	5A 250V~	
H-05VV-F 2G 0.75mm ²	13A 250V~	
H-05VV-F 2G 1.00mm ²	13A 250V~	
H-05VV-F 2G 1.50mm ²	13A 250V~	
H-05RR-F 2G 0.75mm ²	13A 250V~	
H-05RR-F 2G 1.00mm ²	13A 250V~	
H-05RR-F 2G 1.50mm ²	13A 250V~	
H-05RN-F 2G 0.75mm ²	13A 250V~	
H-05RN-F 2G 1.00mm ²	13A 250V~	
H-05RN-F 2G 1.50mm ²	13A 250V~	
H-05RN-F 2G 0.75mm ²	13A 250V~	
H-05RN-F 2G 1.00mm ²	13A 250V~	



- PART NO.: PSC-405
- STANDARD: SABS 164-1

Available With Cord	AMP/V	Approvals
H-03VVH2-F 2G 0.75mm ²	3A 250V~	SABS
H-05VVH2-F 2G 0.75mm ²	3A 250V~	
H-03VV-F 2G 0.75mm ²	5A 250V~	
H-05VV-F 2G 0.75mm ²	13A 250V~	
H-05VV-F 2G 1.00mm ²	13A 250V~	
H-05VV-F 2G 1.50mm ²	13A 250V~	
H-05RR-F 2G 0.75mm ²	13A 250V~	
H-05RR-F 2G 1.00mm ²	13A 250V~	
H-05RR-F 2G 1.50mm ²	13A 250V~	
H-05RN-F 2G 0.75mm ²	13A 250V~	
H-05RN-F 2G 1.00mm ²	13A 250V~	
H-05RN-F 2G 1.50mm ²	13A 250V~	
H-05RN-F 2G 0.75mm ²	13A 250V~	
H-05RN-F 2G 1.00mm ²	13A 250V~	



- PART NO.: PSC-406
- STANDARD:

Available With Cord	AMP/V	Approvals
H-03VVH2-F 2G 0.75mm ²	3A 250V~	
H-05VVH2-F 2G 0.75mm ²	3A 250V~	
H-03VV-F 2G 0.75mm ²	5A 250V~	
H-05VV-F 2G 0.75mm ²	13A 250V~	
H-05VV-F 2G 1.00mm ²	13A 250V~	
H-05VV-F 2G 1.50mm ²	13A 250V~	
H-05RR-F 2G 0.75mm ²	13A 250V~	
H-05RR-F 2G 1.00mm ²	13A 250V~	
H-05RR-F 2G 1.50mm ²	13A 250V~	
H-05RN-F 2G 0.75mm ²	13A 250V~	
H-05RN-F 2G 1.00mm ²	13A 250V~	
H-05RN-F 2G 1.50mm ²	13A 250V~	
H-05RN-F 2G 0.75mm ²	13A 250V~	
H-05RN-F 2G 1.00mm ²	13A 250V~	

Power Plug

UL/CSA



- PART NO.: PSC-501
- STANDARD: UL817 CSA: C22.2 NO. 42

Available With Cord	AMP/V	Approvals
SVT 18AWG x 3C	10A 125V	
SVT 18AWG x 3C (Shielded & Unshielded cords)	10A 125V	
SJT 18AWG 3C	10A 125V	
SJT 16AWG 3C	10A 125V	
SJT 14AWG S3C	10A 125V	



- PART NO.: PSC-502
- STANDARD: UL817 CSA: C22.2 No. 182.3

Available With Cord	AMP/V	Approvals
SVT 18AWG x 3C	10A 125V~	
SVT 18AWG x 3C (Shielding & unshielding cords)	10A 125V~	
SJT 18AWG x 3C	10A 125V~	
SJT 16AWG x 3C	10A 125V~	
SJT 14AWG x 3C	10A 125V~	



- PART NO.: PSC-503
- STANDARD: UL817 CSA: C22.2 No. 182.3

Available With Cord	AMP/V	Approvals
SVT 18AWG x 2C	10A 125V~	
SJT 18AWG x 2C	10A 125V~	
SJT 16AWG x 2C	13A 125V~	
SJT 14AWG x 2C	15A 125V~	



- PART NO.: PSC-504
- STANDARD: UL817 CSA: C22.2 No. 182.3

Available With Cord	AMP/V	Approvals
SJT 18AWG X 3C	10A 125V~	
SJT 16AWG x 3C	13A 125V~	
SJT 14AWG x 3C	15A 125V~	
SJ 18AWG x 3C	10A 125V~	
SJ 16AWG x 3C	13A 125V~	
SJ 14AWG x 3C	15A 125V~	


Power Plug

UL/CSA



- PART NO.: PSC-505
- STANDARD: UL817 CSA: C22.2 No. 182.3

Available With Cord	AMP/V	Approvals
SVT 18AWG x 3C SVT 18AWG x 3C (Shielded & unshielded cords)	10A 125V~ 10A 125V~	
SJT 18AWG x 3C SJT 16AWG x 3C SJT 14AWG x 3C	10A 125V~ 13A 125V~ 15A 125V~	



- PART NO.: PSC-506
- STANDARD: UL817 CAS: C22.2 NO. 182.3

Available With Cord	AMP/V	Approvals
SVT 18AWG x 2C SJT 18AWG x 2C SJT 16AWG x 2C SJT 14AWG x 2C	10A 125V~ 10A 125V~ 13A 125V~ 15A 125V~	



- PART NO.: PSC-507
- STANDARD: UL817 CSA: C22.2 NO. 42

Available With Cord	AMP/V	Approvals
SPT-2 16AWG x 2C SJT 16AWG x 2C SJT 14AWG x 2C SJTO 16AWG x 2C SJTO 14AWG x 2C SJTW 16AWG x 2C SJTW 14AWG x 2C SJTOW 16AWG x 2C SJTOW 14AWG x 2C	13A 125V~ 13A 125V~ 15A 125V~ 13A 125V~ 15A 125V~ 13A 125V~ 15A 125V~ 13A 125V~ 15A 125V~	



- PART NO.: PSC-508
- STANDARD: UL817 CSA: C22.2 No. 42

Available With Cord	AMP/V	Approvals
SVT 18AWG x 3C SJT 18AWG x 3C SJT 16AWG x 3C SJT 14AWG x 3C SJT 12AWG x 3C SJTW 16AWG x 3C SJTW 14AWG x 3C SJTW 12AWG x 3C	10A 125V~ 10A 125V~ 13A 125V~ 15A 125V~ 15A 125V~ 13A 125V~ 15A 125V~ 15A 125V~	